



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/940,784	08/28/2001	Joseph A. Haslwanter	0T0426KQ3	6530

24265 7590 04/23/2003

SCHERING-PLOUGH CORPORATION  
PATENT DEPARTMENT (K-6-1, 1990)  
2000 GALLOPING HILL ROAD  
KENILWORTH, NJ 07033-0530

EXAMINER

TRAN, SUSAN T

ART UNIT	PAPER NUMBER
----------	--------------

1615

DATE MAILED: 04/23/2003

13

Please find below and/or attached an Office communication concerning this application or proceeding.

**Advisory Action**

Application No.

09/940,784

Applicant(s)

HASLWANTER ET AL.

Examiner

Susan Tran

Art Unit

1615

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 04 April 2003 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

**PERIOD FOR REPLY** [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
- b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on \_\_\_\_\_. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
  - (b) ☐ they raise the issue of new matter (see Note below);
  - (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
  - (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: \_\_\_\_\_

3. ☐ Applicant's reply has overcome the following rejection(s): \_\_\_\_\_.
4. ☐ Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: see attachment.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☐ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: \_\_\_\_\_

Claim(s) objected to: \_\_\_\_\_

Claim(s) rejected: 15-33.

Claim(s) withdrawn from consideration: \_\_\_\_\_

8. ☐ The proposed drawing correction filed on \_\_\_\_\_ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). \_\_\_\_\_
10. ☐ Other: \_\_\_\_\_

**ATTACHMENT**

Receipt is acknowledged of applicant's Request for Reconsider filed 04/04/03.

***Response to Arguments***

Applicant's arguments have been fully considered but they are not persuasive.

The examiner maintains the original rejections.

Applicant argues that it is not possible to find all of the claim limitations in a combination of teachings over Shimizu et al., in view of Gilbert et al., and Parnell, therefore, no conceivable combination of teachings from these patents would render the claims obvious. In response to applicant's argument, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981). It is noted that the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Gilbert is relied upon for the teaching that nasal spray composition can be used to administered the claimed drugs

Art Unit: 1615

(active agents). Parnell is relied upon solely for the teachings that more than one polymer can be used as additive agents in a nasal spray composition.

Applicant argues that nothing in the Rybacki et al. publication assists in overcoming the fundamental deficiency of the combined patent documents: the combination still does not include teachings of all of the limitations in the rejected claims. Nonetheless, applicant fails to point out what limitations the combination does not teach. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In the instant case, Rybacki is relied upon solely for the teaching of the molecular weight of PVP that is useful in pharmaceutical composition.

### ***Correspondence***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Susan Tran whose telephone number is (703) 306-5816. The examiner can normally be reached on Monday through Thursday from 6:00 am to 4:30 pm.

Art Unit: 1615

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman Page, can be reached on (703) 308-2927. The fax phone number for the organization where this application or proceeding is assigned is (703) 305-3592.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1235.

THURMAN K. PAGE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1600